

Stormwater: How Can C/CAG Help Address the Funding Need?

Matthew Fabry, P.E.
Program Manager

Reid Bogert
Stormwater Program Specialist








C/CAG Annual Forum April 8, 2021

Pre-Urban Development 30% Evapotranspiration 10% Surface Flow 20% Interflow 40% Infiltration

Urban Development







There are major deficiencies in the existing City storm drain systems. Common drainage system concerns are undersized storm drain lines, bubble-up storm drain systems, and areas without storm drain systems. In addition, there is concern with inadequate flow capacity of Belmont Creek. (Belmont)

Replacement of the inadequately sized pipeline from San Benito Road through the rights-of-way between

flow. (Hillsborough)

At the Marsh Road box culvert, the existing capacity of the Atherton Channel is limited to less than estimated 10-year storm event flows. Providing 100-year flood protection for the Atherton Channel is not currently feasible due to the existing downstream Atherton Channel constraints beyond the Town limits. (Atherton)

due to potential erosion and saturated (Brisbane)


due to potential erosion and saturated (Brisbane)


where the flow and duration of flooding. The pipes that serve this area the intersection of Main Street should be considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area the intersection of Main Street should be duration of flooding. The pipes that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve this area considered a high priority deficiency due to the dep that serve the flow that serve t The **flooding** occurring on Spindrift Way should be (Brisbane)


(Brisb considered a high priority deficiency due to the depth Undersized storm drain systems drain systems as concentrated a high priority deficiency due to the drain of flooding. The pipes that serve this considered a high priority deficiency due to the drain of flooding. The pipes that serve this considered a high priority deficiency due to the drain of flooding. The pipes that serve this considered a high priority deficiency due to the drain of flooding. The pipes that the street and could enter private properties as concentrated as the intersection of Main Street should also be may require upsizing. The pipes that the street and could enter private properties as concentrated as the intersection of Main Street should also be may require upsizing. The pipes that the street and could enter private properties as concentrated as the intersection of Main Street should also be may require upsizing. The pipes that the street and could enter private properties as concentrated as the intersection of Main Street should also be may require upsizing. The pipes that the street and could enter private properties as concentrated as the intersection of Main Street should also be may require upsizing. The pipes that the street and could enter private properties as concentrated as the intersection of Main Street should also be may require upsizing. considered a high priority deficiency due to the depth and


properties. The regional problems generally affect many property owners and usually occur only when there is a significant storm event. These problems occur as a result of deficiencies in the existing storm drain collection system.


Future Climate Impacts














Poll #1

- How much do you think average costs are for cities to fix existing storm drain infrastructure problems?
 - A. \$0-5 Million
 - B. \$5-10 Million
 - C. \$10-20 Million
 - D. \$20-50 Million
 - E. \$50-100 Million

Poll #1

- How much do you think average costs are for cities to fix existing storm drain infrastructure problems?
 - A. \$0-5 Million
 - B. \$5-10 Million
 - C. \$10-20 Million
 - D. \$20-50 Million
 - E. \$50-100 Million

Infrastructure Costs

	/ Storm Drain	High Priority	Med Priority	Low Priority
	Master Plan Cost (total)	Projects	Projects	Projects
Atherton	\$45	\$18	\$24	\$3
Belmont	\$57	\$13	\$13	\$31
Brisbane	\$20	\$15	\$3	\$2
East Palo Alto	\$39	\$31	\$5	\$3
Hillsborough	\$58	\$26	\$14	\$18
Menlo Park	\$39	\$23	\$16	
Millbrae	\$42	\$3	\$30	\$9
Pacifica	\$11	\$9	\$2	
San Bruno	\$26	\$19		\$7
San Carlos	\$56	\$43	\$13	
San Mateo	\$57	\$33	\$16	\$8
South San Francisco	\$54	\$23	\$27	\$4
Total	\$504	\$256	\$163	\$85

Note: All costs in \$ millions, for jurisdictions with storm drain master plans available to C/CAG Data are preliminary, not to be cited

Infrastructure Costs

	Storm Drain Master Plan Cost (total)	High Priority Projects	Med Priority Projects	Low Priority Projects	Dedicated Annual Revenue
Atherton	\$45	\$18	\$24	\$3	\$0.000
Belmont	\$57	\$13	\$13	\$31	\$0.300
Brisbane	\$20	\$15	\$3	\$2	\$0.055
East Palo Alto	\$39	\$31	\$5	\$3	\$0.125
Hillsborough	\$58	\$26	\$14	\$18	\$0.030
Menlo Park	\$39	\$23	\$16		\$0.335
Millbrae	\$42	\$3	\$30	\$9	\$0.240
Pacifica	\$11	\$9	\$2		\$0.178
San Bruno	\$26	\$19		\$7	\$0.575
San Carlos	\$56	\$43	\$13		\$0.435
San Mateo	\$57	\$33	\$16	\$8	\$0.000
South San Francisco	\$54	\$23	\$27	\$4	\$0.425
Total	\$504	\$256	\$163	\$85	\$3

Note: All costs in \$ millions, for jurisdictions with storm drain master plans available to C/CAG Data are preliminary, not to be cited







Women (18-45 Years)

Children (1-17 Years)

TOTAL **SERVINGS** A WEEK

OR

TOTAL SERVING A WEEK



California Office of **Environmental Health** Hazard Assesment

web www.oehha.ca.gov/fish email fish@oehha.ca.gov phone (916) 324-7572

A GUIDE TO EATING FISH from **SAN FRANCISCO BAY**

(ALAMEDA, CONTRA COSTA, MARIN, NAPA, SAN FRANCISCO, SAN MATEO, SANTA CLARA, SOLANO, SONOMA COUNTIES)

WOMEN 18 - 45 YEARS AND CHILDREN 1 - 17 YEARS

Eat the Good Fish

Eating fish that are low in chemicals may provide health benefits to children and adults.



Avoid the **Bad Fish**

Eating fish with higher levels of chemicals like mercury or PCBs may cause health problems in children and adults.



Choose the Right Fish

Chemicals may be more harmful to unborn babies and children.





Brown rockfish



Chinook (King) Salmon





Jacksmelt



Red rock crab



California halibut



White croaker



Sharks



White sturgeon



Surfperches



Striped Bass



Serving Size

A serving of fish is about the size and thickness of your hand. Give children smaller servings.

For Adults



For Children



Some chemicals are higher in the skin, fat, and guts



Eat only the meat



Order No. R2-2015-0049 NPDES Permit No. CAS612008 November 19, 2015




Table of Contents

FINDINGS	
Finding 1: Incorporation of Fact Sheet	1
Findings 2-8: Existing Permits.	
Findings 9-12: Applicable Federal, State and Regional Regulations	2
Findings13-21: Nature of Discharges and Sources of Pollutants	
A. Discharge Prohibitions.	5
B. Receiving Water Limitations	
C.1. Compliance with Discharge Prohibitions and Receiving Water Limitations	6
C.2. Municipal Operations.	
C.3. New Development and Redevelopment.	
C.4. Industrial and Commercial Site Controls.	
C.5. Illicit Discharge Detection and Elimination.	56
C.6. Construction Site Control.	
C.7. Public Information and Outreach.	
C.8. Water Quality Monitoring.	
C.9. Pesticides Toxicity Control.	
C.10. Trash Load Reduction.	97
C.11. Mercury Controls	
C.12. PCBs Controls.	
C.13. Copper Controls.	
C.14. Bacteria Controls.	
C.15. Exempted and Conditionally Exempted Discharges	
C.16. Discharges to Areas of Special Biological Significance	
C.17. Annual Reports	141
C.18. Modifications to this Order	
C.19. Standard Provisions.	
C.20. Expiration Date.	
C.21. Rescission of Old Order.	
C.22. Effective Date	
Acronyms & Abbreviations.	
Glossary	
Attachment A: Municipal Regional Stormwater Permit Fact Sheet	
Fact Sheet Attachment C10.	
Attachment B: Provision C.3.b. Sample Reporting Table.	
Attachment C: Provision C.3.g. Hydromodification Applicability Maps.	
Attachment D: Provision C.8. Standard Monitoring Provisions.	
Attachment E: Provision C.10. Supporting Information.	
Attachment F: Provision C.16. ASBS Special Protection Zone.	
Attachment G: Standard NPDES Stormwater Permit Provisions.	G-1


Municipal
Regional
Stormwater
Permit

Multi-Scale Stormwater Management



Orange Memorial Park – Stormwater Capture Project


Project Configuration



Water Quality Costs

Agency	Estimated Future	
,	Annual Costs	
C/CAG	\$2,752,320	
Atherton	\$298,267	
Belmont	\$1,739,544	
Brisbane	\$1,415,466	
Burlingame	\$2,231,982	
Colma	\$537,880	
Daly City	\$2,265,544	
East Palo Alto	\$1,597,787	
Foster City	\$1,449,464	
Half Moon Bay	\$282,257	
Hillsborough	\$266,425	
Menlo Park	\$3,021,189	
Millbrae	\$1,568,084	
Pacifica	\$879,653	
Portola Valley	\$182,137	
Redwood City	\$3,902,863	
San Bruno	\$1,994,691	
San Carlos	\$3,817,215	
San Mateo	\$4,137,166	
SSF	\$6,514,467	
Woodside	\$320,576	
SM County	\$31,501,565	
TOTALS	\$46,041,837	


Note: data from C/CAG's 2014 funding needs analysis, likely not representative of current regulatory requirements



Water Quality Costs

		<u> </u>	
Agency	Estimated Future	Estimated Annual	
rigency	Annual Costs	Dedic	ated Revenue
C/CAG	\$2,752,320	\$	2,220,000
Atherton	\$298,267	\$	80,000
Belmont	\$1,739,544	\$	427,726
Brisbane	\$1,415,466	\$	148,442
Burlingame	\$2,231,982	\$	329,841
Colma	\$537,880	\$	37,500
Daly City	\$2,265,544	\$	837,507
East Palo Alto	\$1,597,787	\$	218,967
Foster City	\$1,449,464	\$	75,000
Half Moon Bay	\$282,257	\$	37,500
Hillsborough	\$266,425	\$	117,436
Menlo Park	\$3,021,189	\$	401,649
Millbrae	\$1,568,084	\$	330,932
Pacifica	\$879,653	\$	322,515
Portola Valley	\$182,137	\$	75,000
Redwood City	\$3,902,863	\$	338,278
San Bruno	\$1,994,691	\$	593,279
San Carlos	\$3,817,215	\$	550,676
San Mateo	\$4,137,166	\$	612,922
SSF	\$6,514,467	\$	629,858
Woodside	\$320,576	\$	75,000
SM County	\$31,501,565	\$	<u>612,166</u>
TOTALS	\$46,041,837	\$	9,072,194

Note: data from C/CAG's 2014 funding needs analysis, likely not representative of current regulatory requirements



Poll #2

How much do you think single family homes pay on average each year for stormwater management?

- A. \$0-10
- B. \$10-100
- C. \$100-500
- D. \$500-1,000
- E. \$1,000-2,000

Poll #2

- How much do you think single family homes pay on average each year for stormwater management?
 - A. \$0-10
 - B. \$10-100
 - C. \$100-500
 - D. \$500-1,000
 - E. \$1,000-2,000

Existing Stormwater Fees (Annual for Single Family)

- C/CAG: \$7.40
- Atherton: \$0
- Belmont:
- Brisbane:
- Burlingame:
- Colma: \$0
- Daly City:
- East Palo Alto:
- Foster City: \$0

- Half Moon Bay: \$0
- Hillsborough:
- Menlo Park:
- Millbrae:
- Pacifica:
- Portola Valley: \$0
- Redwood City: \$0
- San Bruno:
 - Current: \$
 - Proposed: \$

- San Carlos: \$
- San Mateo: \$0
- So. San Francisco: \$
- Woodside: \$0
- San Mateo County: \$0

Existing Stormwater Fees (Annual for Single Family)

- C/CAG: \$7.40
- Atherton: \$0
- Belmont: \$30
- Brisbane: \$9.48
- Burlingame: \$150
- Colma: \$0
- Daly City: \$9.80
- East Palo Alto: \$20
- Foster City: \$0

- Half Moon Bay: \$0
- Hillsborough: \$7.34
- Menlo Park: \$16-26
- Millbrae: \$25.66
- Pacifica: \$14
- Portola Valley: \$0
- Redwood City: \$0
- San Bruno:
 - Current: \$46
 - Proposed: \$154

- San Carlos: \$20
- San Mateo: \$0
- So. San Francisco: \$8.72
- Woodside: \$0
- San Mateo County: \$0

Some Context on Similar Utilities/Fees

- Matt's annual utilities/bills
 - Sewer: \$1,391
 - Water: \$1,076
 - Gas/Electric: \$1,680
 - Garbage: \$300
 - TV/Internet: \$1,440
 - Stormwater: \$3.44

Example Funding Approaches

- Property-Related Fee
 - Property-owner balloting: Simple majority
 - General electorate: 2/3 majority
 - SB 231: no balloting, likely legal challenge
- Parcel Tax
 - General Electorate: 2/3 majority
- Enhanced Infrastructure Financing District
 - Commit future portion of property tax increment
 - No voter approval required, unless issuing bonds

Scales of Implementation

- Countywide (e.g., current C/CAG fee)
 - C/CAG
 - Flood & Sea Level Rise Resiliency District
 - LA County Measure W (parcel tax, \$285M/yr)
- Sub-Countywide
 - Jurisdictions opt in or out of countywide, or join together for group effort (ex. Flood control zones)
- Jurisdictional
 - Each agency pursues individually (San Bruno, Burlingame)

Discussion Questions

- What role should C/CAG play in addressing stormwater funding needs (e.g., lead, support, none)?
- What scale of effort makes sense (e.g., countywide, subcountywide, jurisdictional)?